

United By Faith

Together With Christ, For Our Future

Parishioner Survey Tabulation

January 2014

Here are the tabulated results of the December survey regarding the potential projects for our three parishes. The Pastoral Councils will use the results as a guide to design a Master Plan for each parish. We thank all those who took the time and made the effort to share their thoughts through this survey.

Parish affiliation:	St. Michael	St. Joseph	Sacred Heart	Not indicated
number of surveys returned	56	161	66	38

Each parishioner, regardless of parish affiliation, was asked to complete the full survey. Many opted to answer some but not all questions, and this was most acceptable. This is why the numbers will not always add up exactly. Remember, *the "value" of answers will be weighted toward the parish of affiliation.* As well, this is *consultation* to discover the opinions of parishioners.

Opinions fell into one of six (6) responses as shown below. Any unmarked questions were tabulated as a "don't know" response which indicated no opinion.

SA = Strongly Agree **A** = Agree **N** = Neutral **D** = Disagree **SD** = Strongly Disagree **DK** = Don't Know

I. St. Michael Parish (including St. Mary's Church)

A. St. Michael Parish Hall is the most utilized building at St. Michael after the church itself. The festival, meetings, retreats, organization dinners, wedding receptions, bereavement meals, and the like are ongoing. So there is a need to renovate as well as maintain the condition of the building for optimum use. Please evaluate these various elements of the proposed renovation of the hall.

1. Metal fatigue due to age requires the replacement of the sheet metal walls and roof of the building.

	SA	A	N	D	SD	DK
St. Michael	30	18	2	3	2	1
St. Joseph	36	68	16	3	2	36
Sacred Heart	16	17	5	1	0	27
Not indicated	10	21	2	1	2	2

2. A "drop ceiling" could be installed at 12 to 14 feet above the floor to better insulate and reduce utility costs for the building.

	SA	A	N	D	SD	DK
St. Michael	13	23	12	3	3	2
St. Joseph	35	59	15	16	5	31
Sacred Heart	13	20	7	1	0	25
Not indicated	10	11	9	4	2	2

3. The restrooms are in need of some renovation to be adequate and ADA code compliant.

	SA	A	N	D	SD	DK
St. Michael	30	18	5	2	0	1
St. Joseph	56	68	9	0	1	27
Sacred Heart	19	20	2	0	0	25
Not indicated	12	18	4	1	1	2

4. The kitchen needs to be updated to be more functional for food preparation and better serving.

	SA	A	N	D	SD	DK
St. Michael	28	19	4	3	1	1
St. Joseph	33	63	24	6	1	34
Sacred Heart	12	21	6	0	0	27
Not indicated	6	20	8	1	1	2

5. Renovation of the electrical system is needed for safety as well as for better function and appearance.

	SA	A	N	D	SD	DK
St. Michael	31	15	5	3	1	1
St. Joseph	39	68	18	2	3	31
Sacred Heart	15	23	4	0	0	24
Not indicated	9	16	9	1	1	2

6. Sheetrock walls can be installed to enhance the overall appearance of the interior.

	SA	A	N	D	SD	DK
St. Michael	19	14	14	4	4	1
St. Joseph	24	56	27	16	8	30
Sacred Heart	8	18	16	3	0	21
Not indicated	8	12	10	3	3	2

7. Better windows for more natural lighting need to be installed if the walls are replaced.

	SA	A	N	D	SD	DK
St. Michael	20	17	10	6	2	1
St. Joseph	28	55	26	16	7	29
Sacred Heart	9	19	14	3	0	21
Not indicated	8	12	7	5	4	2

8. The stage area can be reduced and storage rooms constructed on either side as a place for the tables and chairs when not in use.

	SA	A	N	D	SD	DK
St. Michael	14	20	12	7	2	1
St. Joseph	24	60	34	11	6	26
Sacred Heart	8	23	8	3	0	24
Not indicated	6	15	9	2	4	2

9. The heat and air system needs to be renovated to provide better distribution and to reduce consumption costs.

	SA	A	N	D	SD	DK
St. Michael	28	20	4	1	1	2
St. Joseph	36	68	23	8	0	26
Sacred Heart	10	26	9	1	0	20
Not indicated	7	15	10	2	2	2

10. An extended covering off the front of the hall can be constructed to provide a “drop-off” space in times of bad weather.

	SA	A	N	D	SD	DK
St. Michael	14	26	8	5	3	0
St. Joseph	29	56	29	17	3	27
Sacred Heart	11	18	17	0	0	20
Not indicated	7	14	8	4	3	2

11. The floor of the hall should be worked on to make it more durable and enhance its appearance.

	SA	A	N	D	SD	DK
St. Michael	8	28	14	6	0	0
St. Joseph	10	61	41	14	4	31
Sacred Heart	8	19	17	2	0	20
Not indicated	3	12	9	8	3	3

12. Parking that is more convenient for use of the hall needs to be provided somehow.

	SA	A	N	D	SD	DK
St. Michael	14	26	10	4	2	0
St. Joseph	34	58	31	12	1	25
Sacred Heart	18	15	14	0	0	19
Not indicated	5	16	8	5	2	2

13. An open air pavilion should be constructed between the hall and the school building for the festival and other activities.

	SA	A	N	D	SD	DK
St. Michael	10	12	13	14	6	1
St. Joseph	13	45	36	26	14	27
Sacred Heart	1	21	16	2	3	23
Not indicated	4	6	10	10	4	4

14. The sound system in the hall needs to be updated.

	SA	A	N	D	SD	DK
St. Michael	11	26	9	6	2	2
St. Joseph	16	38	50	16	4	37
Sacred Heart	8	20	11	2	1	24
Not indicated	3	11	12	6	3	3

15. A sprinkler system needs to be installed in the hall for added safety.

	SA	A	N	D	SD	DK
St. Michael	12	31	8	5	0	0
St. Joseph	23	58	30	12	4	34
Sacred Heart	16	19	8	3	0	20
Not indicated	6	7	11	8	3	3

16. Office space should be added to the hall for easier access than that provided by the school building.

	SA	A	N	D	SD	DK
St. Michael	6	15	14	12	8	1
St. Joseph	8	31	43	30	13	36
Sacred Heart	2	10	19	7	1	27
Not indicated	4	5	8	11	6	4

17. The hall should be redesigned to be used for religion classes so not as much money needs to be spent on the school building.

	SA	A	N	D	SD	DK
St. Michael	9	7	16	9	13	2
St. Joseph	14	45	29	21	17	35
Sacred Heart	3	11	12	7	1	32
Not indicated	7	9	9	4	3	6

B. The St. Michael School building is a significant part of the parish history and is still utilized for religion classes, retreats, meeting space, and the deacon's office. When and if the repairs needed are accomplished, this building could be used for even more purposes and activities.

1. Because of water erosion under the building, there is a need to replace a number of piers and sills to support and re-level the building. This would be needed just to preserve the integrity of the building.

	SA	A	N	D	SD	DK
St. Michael	14	30	1	3	5	3
St. Joseph	23	57	21	17	5	38
Sacred Heart	13	17	5	1	3	27
Not indicated	6	11	4	6	6	5

2. The concrete porch is just about beyond repair. It can be replaced with a lighter and better structure that would reduce strain on the building's foundation.

	SA	A	N	D	SD	DK
St. Michael	8	29	4	6	6	3
St. Joseph	22	63	22	11	4	39
Sacred Heart	12	16	9	1	3	25
Not indicated	4	13	4	8	5	4

3. Because of the un-level floors, many doors, windows, and sections of flooring need major carpentry work to be restored.

	SA	A	N	D	SD	DK
St. Michael	11	27	5	4	5	4
St. Joseph	18	54	33	11	3	42
Sacred Heart	6	23	5	1	3	28
Not indicated	5	7	7	9	5	5

4. The bathroom spaces need to be fully repaired so they can be usable after the renovation is accomplished.

	SA	A	N	D	SD	DK
St. Michael	18	22	2	5	6	3
St. Joseph	28	59	24	10	3	37
Sacred Heart	8	21	8	1	3	25
Not indicated	6	8	6	8	5	5

5. Because of its use for religion classes, it would be wise to install a fire alarm system for the safety of children, teachers, and others.

	SA	A	N	D	SD	DK
St. Michael	16	20	8	3	7	2
St. Joseph	31	57	24	14	3	32
Sacred Heart	16	19	4	1	3	23
Not indicated	7	9	8	7	3	4

6. It may be possible, because of all the foundational work which needs to be done, to move the whole building further back on the property so that more parking could be offered for the church and parish hall. This option should be considered.

	SA	A	N	D	SD	DK
St. Michael	2	7	16	10	19	2
St. Joseph	22	29	26	26	18	40
Sacred Heart	7	9	13	3	4	30
Not indicated	7	6	5	7	8	5

7. The current functions of the school building should be added to the parish hall and the school itself torn down because it is too expensive to be renovated.

	SA	A	N	D	SD	DK
St. Michael	11	4	10	6	23	2
St. Joseph	29	26	31	17	16	42
Sacred Heart	5	8	7	6	7	33
Not indicated	10	5	7	6	5	5

C. St. Michael Rectory and attached Kitchen building are still utilized even if a priest is not in full-time residence. At the moment the Jesuits of Manresa are renting the rectory while their residence is undergoing renovations. As well, our own priests stay there from time to time, and it is similarly used for visiting priests. The kitchen building is part of the history of the parish, and is primarily used for storage and a few other church purposes.

1. Exterior maintenance needs to be done on doors, windows, shutters, steps, and the like to maintain the buildings.

	SA	A	N	D	SD	DK
St. Michael	17	32	3	2	0	2
St. Joseph	20	65	33	5	3	35
Sacred Heart	7	26	6	0	0	27
Not indicated	6	18	4	4	2	4

2. Because it is still utilized by the priests the carport needs to be repaired or replaced.

	SA	A	N	D	SD	DK
St. Michael	14	27	5	5	3	2
St. Joseph	13	67	32	10	4	35
Sacred Heart	10	24	6	1	0	25
Not indicated	6	14	10	2	2	4

3. The interior of the kitchen building could be “gutted” and re-purposed, albeit there is no simple way to make it handicap accessible.

	SA	A	N	D	SD	DK
St. Michael	8	15	16	8	3	6
St. Joseph	9	32	47	16	6	51
Sacred Heart	3	12	17	3	0	31
Not indicated	5	10	11	4	3	5

4. Handicap access needs to be provided for the rectory itself.

	SA	A	N	D	SD	DK
St. Michael	9	28	6	7	2	4
St. Joseph	24	55	33	6	6	37
Sacred Heart	14	16	9	0	0	27
Not indicated	6	13	10	4	0	5

D. St. Michael Church itself, even though it has gone through restoration and roof replacement, is still in need of attention. These ideas have surfaced for parishioner consideration.

1. Preservative maintenance needs to be done, such as, painting door and window trims and treatments.

	SA	A	N	D	SD	DK
St. Michael	18	36	2	0	0	0
St. Joseph	31	78	22	8	1	21
Sacred Heart	9	32	7	0	0	18
Not indicated	7	20	6	2	0	3

2. The refurbishing of the sacristy was suspended some years back, and this needs to be finished.

	SA	A	N	D	SD	DK
St. Michael	22	27	5	0	0	2
St. Joseph	31	68	27	8	2	25
Sacred Heart	12	24	9	0	0	21
Not indicated	9	12	12	2	0	3

3. There is a need to provide several handicap parking spaces on the east (Courthouse side) of the church near the ramp.

	SA	A	N	D	SD	DK
St. Michael	17	28	5	2	2	2
St. Joseph	43	81	9	5	0	23
Sacred Heart	15	29	4	0	0	18
Not indicated	7	22	7	0	0	2

4. Because the choir loft is so small, it needs to be expanded and provided with some appropriate form of emergency exit.

	SA	A	N	D	SD	DK
St. Michael	5	12	11	7	18	3
St. Joseph	21	49	29	21	8	33
Sacred Heart	9	17	11	3	1	25
Not indicated	2	10	13	7	4	2

5. The organs, pianos, and keyboard all need to be refurbished or replaced for the sake of better music in worship.

	SA	A	N	D	SD	DK
St. Michael	4	22	10	9	7	4
St. Joseph	16	38	47	18	5	37
Sacred Heart	5	20	16	1	1	23
Not indicated	6	9	10	8	3	2

6. The pews need to have more space for people to enter and exit.

	SA	A	N	D	SD	DK
St. Michael	3	11	13	18	10	1
St. Joseph	25	42	37	20	10	27
Sacred Heart	10	11	20	7	3	15
Not indicated	4	11	10	8	3	2

7. The kneelers are difficult for many people and need to be designed to be attached to the pews so they can be lifted out of the way.

	SA	A	N	D	SD	DK
St. Michael	14	19	9	4	9	1
St. Joseph	71	51	7	8	4	20
Sacred Heart	24	17	6	3	2	14
Not indicated	12	16	4	3	1	2

8. Much of the exterior landscaping was removed, so now the church needs attractive landscaping to beautify our grounds.

	SA	A	N	D	SD	DK
St. Michael	3	24	12	8	9	0
St. Joseph	8	52	54	14	9	24
Sacred Heart	3	16	23	3	1	20
Not indicated	5	17	7	4	2	3

9. The sidewalks need to be repaired and widened.

	SA	A	N	D	SD	DK
St. Michael	7	23	13	9	4	0
St. Joseph	22	71	32	11	1	24
Sacred Heart	8	24	13	1	0	20
Not indicated	4	15	9	4	3	3

10. Some form of covered drop-off space needs to be created and covering provided between the church and parish hall.

	SA	A	N	D	SD	DK
St. Michael	4	14	17	12	8	1
St. Joseph	17	50	35	23	12	24
Sacred Heart	1	21	20	4	1	19
Not indicated	4	13	9	7	3	2

11. A new steeple should be erected to replace the one destroyed by Hurricane Betsy some 50 years ago.

	SA	A	N	D	SD	DK
St. Michael	7	15	8	7	17	2
St. Joseph	15	38	41	26	14	27
Sacred Heart	10	12	13	5	5	21
Not indicated	5	13	6	8	3	3

12. The parking lots, both in front of the church and the school need attention, such as, some resurfacing (asphalt overlay), some clean up, and re-striping to help make parking more efficient.

	SA	A	N	D	SD	DK
St. Michael	18	29	6	2	0	1
St. Joseph	45	74	16	4	1	21
Sacred Heart	12	30	7	2	0	15
Not indicated	7	20	6	2	0	3

Please note: while some have asked to have the Communion Rail re-installed, permission to do such would most likely be denied by the Diocesan Liturgy Committee. It is not reasonable to pursue this request at this time.

E. St. Mary’s church building, even if parishioner demographics and the availability of priests suggest that weekly and/or regular use of the building is unlikely, remains the responsibility of St. Michael Parish. There are occasional requests for funerals and weddings, but because of disrepair, the building is currently not useable. To preserve the building with its historical significance and potential use repairs need to be undertaken.

1. The roof is aged and has extensive damage, so it needs to be repaired but most likely replaced.

	SA	A	N	D	SD	DK
St. Michael	9	18	6	4	9	10
St. Joseph	8	20	27	13	26	67
Sacred Heart	5	9	9	1	5	37
Not indicated	4	5	4	6	10	9

2. The heating and air system are likewise in need of major repair and/or replacement.

	SA	A	N	D	SD	DK
St. Michael	4	17	10	3	11	11
St. Joseph	6	17	27	16	26	69
Sacred Heart	2	10	10	1	5	38
Not indicated	3	6	4	5	11	9

3. Extensive carpentry repairs to walls, windows, doors, and such need to be undertaken.

	SA	A	N	D	SD	DK
St. Michael	6	19	7	3	11	10
St. Joseph	6	18	28	12	26	71
Sacred Heart	2	11	8	1	5	39
Not indicated	3	5	5	5	10	10

4. The floor throughout the church needs serious attention, possibly removing the carpet and returning to the original hardwood floor.

	SA	A	N	D	SD	DK
St. Michael	7	17	9	2	11	10
St. Joseph	6	19	25	15	28	68
Sacred Heart	4	11	8	1	5	37
Not indicated	4	5	4	5	11	9

5. Electrical and plumbing systems need to be updated for efficiency and safety.

	SA	A	N	D	SD	DK
St. Michael	7	15	10	3	11	10
St. Joseph	8	16	26	12	28	71
Sacred Heart	2	12	8	1	5	38
Not indicated	3	6	5	5	10	9

6. Walkways and exterior steps and railings need repair and/or replacement.

	SA	A	N	D	SD	DK
St. Michael	6	18	7	3	11	11
St. Joseph	8	14	24	13	28	74
Sacred Heart	1	13	9	1	5	37
Not indicated	3	6	4	5	11	9

F. St. Mary's church building may be beyond the financial capability of St. Michael Parish to maintain adequately. For the historical preservation of the building, the very difficult decision might need to be made that St. Michael would surrender control of and responsibility for, (that is, sell and/or donate), the building. This does **NOT** mean the *church property or St. Mary's cemetery* would be surrendered, but only the church building. Options include:

1. The church parish would find a buyer who would promise to move (relocate off the property) the building to a new site for its renovation and upkeep.

	SA	A	N	D	SD	DK
St. Michael	13	6	10	3	15	9
St. Joseph	33	43	17	10	6	52
Sacred Heart	11	7	16	1	0	31
Not indicated	11	11	4	1	6	5

2. The church parish would find a buyer who would purchase the building and enough land at its current site, freeing this new owner to utilize the building as they deem appropriate.

	SA	A	N	D	SD	DK
St. Michael	5	3	12	4	22	10
St. Joseph	21	36	27	14	11	52
Sacred Heart	7	5	20	1	3	30
Not indicated	13	7	4	4	5	5

3. The church parish would invite private citizens and/or parishioners interested in establishing a “museum corporation” for their own preservation of the building, opening up the possibility of museum grants for the repairs and restoration.

	SA	A	N	D	SD	DK
St. Michael	8	16	11	3	8	10
St. Joseph	21	35	34	7	10	54
Sacred Heart	9	9	17	0	2	29
Not indicated	7	6	11	1	7	6

G. Overall priority for the various projects for St. Michael Parish. Please number 1 to 6 the order of priority you would give each project.

The numbers in parentheses “()” are a composite of the rating given on the survey – 1 = 6pts; 2 = 5pts; 3 = 4pts; 4 = 3pts; 5 = 2 pts; 6 = 1pt. Highest total means a first priority continuing down to lowest total given the 6th priority.

	St. Michael	St. Joseph	Sacred Heart	Not indicated
A. St. Michael Parish Hall	1st (270)	2nd (659)	2nd (211)	3rd (128)
B. St. Michael School building	3rd (205)	4th (465)	4th (155)	4th (104)
C. St. Michael Rectory w/ kitchen	4th (204)	3rd (473)	3rd (168)	2nd (165)
D. St. Michael Church & parking lot	2nd (243)	1st (703)	1st (262)	1st (171)
E. St. Mary’s repair	5th (112)	6th (205)	6th (75)	6th (51)
F. St. Mary’s surrender	6th (103)	5th (255)	5th (99)	5th (64)

II. Most Sacred Heart of Jesus Parish

- A. The debt** which Sacred Heart Parish still owes (approx. \$80,000) to the Diocese of Baton Rouge should be paid off before any other major expenditures would be undertaken. **Note:** this debt is the balance owed on the construction of the newer PSR building, plus some of the cost of the roof repair to the rectory following Hurricane Isaac.

- This debt should be retired before any other major undertaking begins.

	SA	A	N	D	SD	DK
St. Michael	19	13	7	0	0	17
St. Joseph	107	31	6	0	1	16
Sacred Heart	41	15	2	2	3	3
Not indicated	20	13	4	0	0	1

B. The Sacred Heart Church roof is actually the original roof of the church, even if often repaired, and is asbestos shingles. It now needs to be fully replaced. The Pastoral Council and Facilities Committee have agreed that durability will be the uppermost factor in determining the kind of replacement roof chosen. **Please Note:** *after the survey was released, we learned that the current roof is not the original but was installed after damage from Hurricane Betsy in 1963. We apologize that the Sacred Heart Pastoral Council and Pastor did not have accurate information.*

- The old roof should be replaced as soon as possible with a long-lasting roof.

	SA	A	N	D	SD	DK
St. Michael	12	16	8	1	1	18
St. Joseph	46	72	20	3	7	13
Sacred Heart	34	22	0	5	1	4
Not indicated	9	18	5	5	0	1

C. The Sacred Heart Church choir loft is particularly unsafe in case choir members would need to make an emergency exit because the existing chair lift causes an obstruction of the one and only way in and out of the loft.

1. One option would be to provide an emergency exit to the outside of the church with a metal fire escape.

	SA	A	N	D	SD	DK
St. Michael	2	14	11	6	3	20
St. Joseph	23	42	36	18	15	27
Sacred Heart	9	14	14	7	17	5
Not indicated	4	11	11	3	6	3

2. A different “fix” for the choir loft would be to extend the space further into the body of the church and provide dual stairs.

	SA	A	N	D	SD	DK
St. Michael	1	10	15	4	5	21
St. Joseph	16	38	41	21	15	30
Sacred Heart	7	15	15	10	9	10
Not indicated	2	10	10	7	7	2

3. A third option for the choir space would be to abandon the loft and create a space near the altar sanctuary for all choirs to use.

	SA	A	N	D	SD	DK
St. Michael	8	7	9	6	4	23
St. Joseph	25	36	36	24	22	18
Sacred Heart	9	17	11	11	12	6
Not indicated	9	8	5	3	9	4

D. The Sacred Heart Church building has other needs which surfaced during the recent input sessions. We would like all parishioners to give their opinions about the list of projects.

1. The carpet needs to be removed from the church with a return to the old hard surface flooring.

	SA	A	N	D	SD	DK
St. Michael	3	14	17	3	1	18
St. Joseph	23	47	48	12	8	23
Sacred Heart	6	19	21	14	4	2
Not indicated	7	11	8	7	3	2

2. The pews need to be re-arranged to give more space between the pews for entering and exiting.

	SA	A	N	D	SD	DK
St. Michael	0	7	15	9	4	21
St. Joseph	27	35	37	30	11	21
Sacred Heart	6	8	11	26	14	1
Not indicated	5	13	5	7	5	3

3. The sound system needs to be upgraded and/or fixed and/or adjusted.

	SA	A	N	D	SD	DK
St. Michael	6	12	10	3	5	20
St. Joseph	18	66	39	13	8	17
Sacred Heart	26	26	8	4	1	1
Not indicated	4	11	15	3	1	4

4. The church bathroom needs to be made handicap accessible and/or updated.

	SA	A	N	D	SD	DK
St. Michael	9	19	4	2	3	19
St. Joseph	26	77	31	5	0	22
Sacred Heart	20	32	9	2	0	3
Not indicated	6	20	9	0	0	3

5. The heat and air system needs to be updated for better distribution of air and control of temperature.

	SA	A	N	D	SD	DK
St. Michael	4	14	11	4	3	20
St. Joseph	18	49	51	21	6	16
Sacred Heart	13	19	22	8	2	2
Not indicated	4	9	15	4	3	3

6. The baptismal font needs to be moved for better visibility by the congregation.

	SA	A	N	D	SD	DK
St. Michael	0	13	13	6	7	17
St. Joseph	9	39	45	32	18	18
Sacred Heart	3	16	19	10	15	3
Not indicated	5	12	5	7	5	4

E. Sacred Heart Center is utilized regularly (several times each week) for meetings, PSR classes and retreats, dinners, and bereavements, yet there is much renovation which needs to take place for the building to be at its best.

1. The bathrooms are in very poor condition and need renovations and ADA compliance.

	SA	A	N	D	SD	DK
St. Michael	6	17	8	2	1	22
St. Joseph	42	77	16	4	4	18
Sacred Heart	30	24	4	3	3	2
Not indicated	6	24	5	0	2	1

2. The kitchen, especially the stove, cannot be used and is in serious need of renovation.

	SA	A	N	D	SD	DK
St. Michael	7	15	11	0	1	22
St. Joseph	36	71	28	5	1	20
Sacred Heart	25	27	6	1	2	5
Not indicated	6	18	10	1	2	1

3. The heating and air system is antiquated; and updating could help reduce wasted utilities (and probably rid the building of the "gas" smell).

	SA	A	N	D	SD	DK
St. Michael	9	13	10	0	2	22
St. Joseph	35	59	31	3	3	30
Sacred Heart	21	27	9	3	3	3
Not indicated	5	16	9	4	1	3

4. By renovations to the ceiling, a better sense of "openness" could be given to the space, enhancing its quality.

	SA	A	N	D	SD	DK
St. Michael	2	6	19	5	3	21
St. Joseph	22	39	49	14	9	28
Sacred Heart	7	25	19	6	4	5
Not indicated	4	8	15	9	1	1

5. The lighting can be easily updated and enhanced, also reducing wasted utilities.

	SA	A	N	D	SD	DK
St. Michael	6	13	12	2	1	22
St. Joseph	21	71	33	9	4	23
Sacred Heart	11	37	9	2	4	3
Not indicated	4	15	12	4	2	1

6. Doors and windows need to be replaced in order to provide better insulation value and improve the quality of the building.

	SA	A	N	D	SD	DK
St. Michael	2	16	10	2	4	22
St. Joseph	16	57	53	10	6	19
Sacred Heart	8	27	20	3	3	5
Not indicated	4	10	12	9	2	1

7. A more attractive entry way could be constructed including a covered drop-off space.

	SA	A	N	D	SD	DK
St. Michael	0	7	14	11	5	19
St. Joseph	9	40	47	24	17	24
Sacred Heart	5	20	24	7	6	4
Not indicated	4	7	10	9	4	4

8. The whole building, that is, the Center and the older PSR classroom space, could be demolished and a new and better designed center and classrooms should be built.

	SA	A	N	D	SD	DK
St. Michael	0	4	15	6	10	21
St. Joseph	8	12	28	28	55	30
Sacred Heart	3	3	15	12	29	4
Not indicated	3	1	10	6	13	5

9. Interior furnishings, that is, tables and/or chairs, need to be updated.

	SA	A	N	D	SD	DK
St. Michael	2	9	14	5	3	23
St. Joseph	10	40	55	23	10	23
Sacred Heart	4	23	17	12	5	5
Not indicated	3	8	14	8	2	3

10. In remodeling the Center, consider adding meeting space in this building to remove the meeting room from the priests' residence.

	SA	A	N	D	SD	DK
St. Michael	1	15	10	5	3	22
St. Joseph	14	58	30	17	17	25
Sacred Heart	9	15	19	9	6	8
Not indicated	3	10	13	4	3	5

F. The older PSR building at Sacred Heart has become inefficient as a teaching space as well as in the consumption of utilities; it is in need of certain improvements.

1. The doors and windows could be replaced with more energy efficient products. And the ceiling could be insulated better for the same purpose.

	SA	A	N	D	SD	DK
St. Michael	0	13	13	4	0	26
St. Joseph	10	53	42	11	6	39
Sacred Heart	6	31	12	7	4	6
Not indicated	3	10	14	5	3	3

2. The heating and air system could be centralized or improved to be more cost efficient for the space.

	SA	A	N	D	SD	DK
St. Michael	1	11	15	3	0	26
St. Joseph	10	55	40	14	4	38
Sacred Heart	7	30	15	6	3	5
Not indicated	3	11	13	5	3	3

3. The bathrooms could be renovated for better utility and cleanliness.

	SA	A	N	D	SD	DK
St. Michael	2	12	14	2	1	25
St. Joseph	21	66	28	9	3	34
Sacred Heart	13	28	12	7	2	4
Not indicated	3	12	13	5	3	2

4. Repeating what was suggested above, the whole building, that is, the Center and the older PSR classroom space, could be demolished and a new and better designed center and classrooms should be built.

	SA	A	N	D	SD	DK
St. Michael	1	6	12	7	6	24
St. Joseph	11	14	24	28	47	37
Sacred Heart	2	6	11	11	30	6
Not indicated	4	3	11	5	13	2

G. Overall priority for the various projects for Sacred Heart Parish. Please number 1 to 6 the order of priority you would give each project.

	St. Michael	St. Joseph	Sacred Heart	Not indicated
A. Sacred Heart debt pay-off	2nd (156)	1st (798)	1st (324)	1st (196)
B. Sacred Heart Church roof	1st (170)	2nd (686)	2nd (300)	2nd (170)
C. Sacred Heart choir loft	4th (93)	4th (397)	4th (163)	4th (106)
D. Sacred Heart Church issues	3rd (112)	3rd (463)	3rd (197)	3rd (116)
E. Sacred Heart Center	5th (88)	5th (345)	5th (149)	5th (78)
F. Sacred Heart older PSR building	6th (61)	6th (231)	6th (107)	6th (63)

III. St. Joseph Parish (including Lutchter Chapel)

A. St. Joseph Church building, while the outside has been waterproofed and painted and the roof and steeple repaired, still needs quite a bit of interior work.

1. The walls and ceiling damaged by water intrusion need to be repaired and repainted.

	SA	A	N	D	SD	DK
St. Michael	16	16	5	1	0	18
St. Joseph	83	66	4	2	2	4
Sacred Heart	23	26	6	0	0	11
Not indicated	14	20	1	0	0	3

2. The heating and air system works correctly but the issue of hot/cold spots and a better thermostat system needs to be addressed.

	SA	A	N	D	SD	DK
St. Michael	8	15	11	2	3	17
St. Joseph	47	59	28	13	7	7
Sacred Heart	12	20	18	6	0	10
Not indicated	5	17	10	4	0	2

3. Some pews and kneelers need repairs and all could stand to be refinished. **Note:** the pews are too historically significant simply to replace them; thus, they must be repaired and refinished as best as possible.

	SA	A	N	D	SD	DK
St. Michael	8	20	10	0	0	18
St. Joseph	61	78	14	3	1	4
Sacred Heart	10	37	7	0	0	12
Not indicated	9	21	5	1	0	2

4. For some, the pew platform is a trip hazard, which might require removal if possible to avoid people being seriously injured by tripping and falling.

	SA	A	N	D	SD	DK
St. Michael	6	13	10	5	2	20
St. Joseph	21	40	41	31	20	8
Sacred Heart	9	12	16	13	3	13
Not indicated	4	9	7	8	7	3

5. The carpet in the aisles and sanctuary could be removed to return the floors to the more original hard tile surface.

	SA	A	N	D	SD	DK
St. Michael	5	16	13	4	0	18
St. Joseph	46	43	33	21	12	6
Sacred Heart	6	14	24	9	2	11
Not indicated	5	14	8	7	1	3

6. There is the possibility of a historical renovation of the sanctuary, to recover the original altar platform height (one step lower) providing slightly more room in the sanctuary. This would also entail re-installing the tabernacle in the high altar.

	SA	A	N	D	SD	DK
St. Michael	9	9	16	2	1	19
St. Joseph	43	43	36	18	12	9
Sacred Heart	16	14	15	4	1	16
Not indicated	5	19	8	2	2	2

7. If still more space is needed for the sanctuary, the pews added in some time ago could be removed again.

	SA	A	N	D	SD	DK
St. Michael	3	8	18	6	1	20
St. Joseph	18	34	45	35	19	10
Sacred Heart	3	11	26	7	3	16
Not indicated	4	12	7	8	4	3

8. The altar platform needs to be made handicap accessible.

	SA	A	N	D	SD	DK
St. Michael	4	14	12	5	3	18
St. Joseph	24	66	28	25	10	8
Sacred Heart	11	19	17	4	1	14
Not indicated	6	11	10	5	3	3

9. The lighting inside the church, both in the central body and for the sanctuary and choir loft, could be enhance and updated.

	SA	A	N	D	SD	DK
St. Michael	3	14	14	4	3	18
St. Joseph	33	49	42	23	6	8
Sacred Heart	5	21	20	10	0	10
Not indicated	5	15	9	4	2	3

10. Renovations can be made to enhance the front entry of the church and the way the space is utilized. That is, the doors, "cry room" spaces, reconciliation room, vesting sacristy, bathroom, and such would be renovated for better function.

	SA	A	N	D	SD	DK
St. Michael	2	17	13	5	2	17
St. Joseph	32	67	26	23	5	8
Sacred Heart	9	20	14	11	0	12
Not indicated	3	17	7	5	2	4

11. The choir loft could use better storage space; the variety of steps, which pose a trip hazard for some, needs to be addressed, as well as the elevator safety issue and the emergency exit issue.

	SA	A	N	D	SD	DK
St. Michael	1	14	15	0	4	22
St. Joseph	25	68	34	14	6	14
Sacred Heart	6	21	18	6	0	15
Not indicated	2	15	10	6	2	3

12. The sound system needs to be updated, especially if acoustical changes will take place.

	SA	A	N	D	SD	DK
St. Michael	4	14	12	3	3	20
St. Joseph	37	65	31	14	3	11
Sacred Heart	7	23	19	4	0	13
Not indicated	3	20	7	4	1	3

13. A handicap ramp needs to be provided for the west side entrance as an added entrance beside the ramp to the front of the church.

	SA	A	N	D	SD	DK
St. Michael	3	11	11	8	3	20
St. Joseph	49	57	24	15	9	7
Sacred Heart	9	22	15	5	0	15
Not indicated	5	11	7	9	2	4

14. The possibility of better automation for the lights, A/C, door locks, and such needs to be investigated as possible cost savings measures through improved efficiency.

	SA	A	N	D	SD	DK
St. Michael	1	12	16	3	3	21
St. Joseph	32	53	51	10	2	13
Sacred Heart	10	16	20	2	1	17
Not indicated	3	17	9	5	0	4

B. Other needs for St. Joseph Parish and the Lucher Chapel have surfaced during the recent input sessions. We would like all parishioners to give their opinions about the list of projects.

1. The use of solar panels should be investigated to reduce electricity consumption by the parish buildings as a whole.

	SA	A	N	D	SD	DK
St. Michael	2	12	14	7	1	20
St. Joseph	23	56	34	13	24	11
Sacred Heart	9	18	14	2	4	19
Not indicated	3	13	9	5	3	5

2. The Pastoral Center, though recently renovated by the prior pastor, still needs better insulation in attic and under the first floor to reduce utility costs.

	SA	A	N	D	SD	DK
St. Michael	2	20	12	2	1	19
St. Joseph	28	69	41	7	2	14
Sacred Heart	7	24	17	4	0	14
Not indicated	2	16	10	5	1	4

3. The carport and/or garage needs to be reinstated for the priests.

	SA	A	N	D	SD	DK
St. Michael	3	18	9	4	3	19
St. Joseph	35	77	32	10	5	2
Sacred Heart	7	23	17	4	2	13
Not indicated	3	18	7	7	1	2

4. The Lutchter Chapel has drainage issues which need to be addressed.

	SA	A	N	D	SD	DK
St. Michael	5	21	8	2	1	19
St. Joseph	29	69	40	5	0	18
Sacred Heart	8	25	14	1	1	17
Not indicated	3	19	8	3	3	2

5. A covered drop-off needs to be installed at the Lutchter Chapel on the north (parking lot) side of the building.

	SA	A	N	D	SD	DK
St. Michael	0	10	14	8	4	20
St. Joseph	22	48	40	27	19	5
Sacred Heart	7	16	24	6	1	12
Not indicated	4	11	10	4	7	2

C. Additional parking spaces need to be added at St. Joseph Church because of the number of people who park dangerously on the two-way road by the rectory and even in the fire lane next to the church. It is possible to provide as many as 85 safe and secure parking spaces by creating a parking lot on the grass lot between the Pastoral Center and the Maintenance shed in front of the cemetery.

- The grass lot should be made into an asphalt parking lot for the safety and convenience of parking at St. Joseph.

	SA	A	N	D	SD	DK
St. Michael	5	15	10	3	3	20
St. Joseph	55	71	21	9	2	3
Sacred Heart	21	24	10	1	0	10
Not indicated	8	14	7	2	3	4

D. Overall priority for the various projects for St. Joseph Parish. Please number 1 to 3 the order of priority you would give each project.

	St. Michael	St. Joseph	Sacred Heart	Not indicated
A. St. Joseph Church	1st (94)	1st (444)	1st (156)	1st (99)
B. Other needs	2nd (49)	3rd (228)	3rd (72)	3rd (46)
C. Additional parking spaces	3rd (47)	2nd (268)	2nd (99)	2nd (61)